
cmd2 Documentation

Release 0.8.0

Catherine Devlin and Todd Leonhardt

Feb 01, 2018

Contents

1	Resources	3
1.1	Installation Instructions	3
1.2	Overview	5
1.3	Features requiring no modifications	6
1.4	Features requiring only parameter changes	11
1.5	Features requiring application changes	13
1.6	Transcript based testing	16
1.7	Argument Processing	18
1.8	Integrating cmd2 with external tools	22
1.9	cmd2 Application Lifecycle and Hooks	24
1.10	Alternatives to cmd and cmd2	25
2	Compatibility	27
3	Indices and tables	29

A python package for building powerful command-line interpreter (CLI) programs. Extends the Python Standard Library's `cmd` package.

The basic use of `cmd2` is identical to that of `cmd`.

1. Create a subclass of `cmd2.Cmd`. Define attributes and `do_*` methods to control its behavior. Throughout this documentation, we will assume that you are naming your subclass `App`:

```
from cmd2 import Cmd
class App(Cmd):
    # customized attributes and methods here
```

2. Instantiate `App` and start the command loop:

```
app = App()
app.cmdloop()
```

Note: The tab-completion feature provided by `cmd` relies on underlying capability provided by GNU `readline` or an equivalent library. Linux distros will almost always come with the required library installed. For macOS, we recommend using the [Homebrew](#) package manager to install the `readline` package; alternatively for macOS the `conda` package manager that comes with the Anaconda Python distro can be used to install `readline` (preferably from `conda-forge`). For Windows, we recommend installing the [pyreadline](#) Python module.

- [cmd](#)
- [cmd2 project page](#)
- [project bug tracker](#)
- Florida PyCon 2017: [slides](#)
- PyOhio 2011: [video](#)

These docs will refer to `App` as your `cmd2.Cmd` subclass, and `app` as an instance of `App`. Of course, in your program, you may name them whatever you want.

Contents:

1.1 Installation Instructions

This section covers the basics of how to install, upgrade, and uninstall `cmd2`.

1.1.1 Installing

First you need to make sure you have Python 2.7 or Python 3.4+, [pip](#), and [setuptools](#). Then you can just use `pip` to install from [PyPI](#).

Note: Depending on how and where you have installed Python on your system and on what OS you are using, you may need to have administrator or root privileges to install Python packages. If this is the case, take the necessary steps required to run the commands in this section as root/admin, e.g.: on most Linux or Mac systems, you can precede them with `sudo`:

```
sudo pip install <package_name>
```

Requirements for Installing

- If you have Python 2 $\geq 2.7.9$ or Python 3 ≥ 3.4 installed from python.org, you will already have [pip](#) and [setuptools](#), but may need to upgrade to the latest versions:

On Linux or OS X:

```
pip install -U pip setuptools
```

On Windows:

```
python -m pip install -U pip setuptools
```

Use pip for Installing

[pip](#) is the recommended installer. Installing packages from [PyPI](#) with [pip](#) is easy:

```
pip install cmd2
```

This should also install the required 3rd-party dependencies, if necessary.

Install from GitHub using pip

The latest version of `cmd2` can be installed directly from the master branch on GitHub using [pip](#):

```
pip install -U git+git://github.com/python-cmd2/cmd2.git
```

This should also install the required 3rd-party dependencies, if necessary.

Install from Debian or Ubuntu repos

We recommend installing from [pip](#), but if you wish to install from Debian or Ubuntu repos this can be done with `apt-get`.

For Python 2:

```
sudo apt-get install python-cmd2
```

For Python 3:

```
sudo apt-get install python3-cmd2
```

This will also install the required 3rd-party dependencies.

Warning: Versions of `cmd2` before 0.7.0 should be considered to be of unstable “beta” quality and should not be relied upon for production use. If you cannot get a version ≥ 0.7 from your OS repository, then we recommend installing from either [pip](#) or [GitHub](#) - see [Use pip for Installing](#) or [Install from GitHub using pip](#).

Deploy cmd2.py with your project

cmd2 is contained in only one Python file (**cmd2.py**), so it can be easily copied into your project. *The copyright and license notice must be retained.*

This is an option suitable for advanced Python users. You can simply include this file within your project's hierarchy. If you want to modify cmd2, this may be a reasonable option. Though, we encourage you to use stock cmd2 and either composition or inheritance to achieve the same goal.

This approach will obviously NOT automatically install the required 3rd-party dependencies, so you need to make sure the following Python packages are installed:

- six
- pyparsing
- pyperclip

On Windows, there is an additional dependency:

- pyreadline

1.1.2 Upgrading cmd2

Upgrade an already installed cmd2 to the latest version from [PyPI](#):

```
pip install -U cmd2
```

This will upgrade to the newest stable version of cmd2 and will also upgrade any dependencies if necessary.

1.1.3 Uninstalling cmd2

If you wish to permanently uninstall cmd2, this can also easily be done with [pip](#):

```
pip uninstall cmd2
```

1.1.4 Extra requirement for Python 3.4 and earlier

cmd2 requires the `contextlib2` module for Python 3.4 and earlier. This is used to temporarily redirect stdout and stderr.

1.1.5 Extra requirement for Python 2.7 only

If you want to be able to pipe the output of commands to a shell command on Python 2.7, then you will need one additional package installed:

- subprocess32

1.2 Overview

cmd2 is an extension of `cmd`, the Python Standard Library's module for creating simple interactive command-line applications.

cmd2 can be used as a drop-in replacement for `cmd`. Simply importing `cmd2` in place of `cmd` will add many features to an application without any further modifications.

Understanding the use of `cmd` is the first step in learning the use of `cmd2`. Once you have read the `cmd` docs, return here to learn the ways that `cmd2` differs from `cmd`.

Note: `cmd2` is not quite a drop-in replacement for `cmd`. The `cmd.emptyline()` function is called when an empty line is entered in response to the prompt. By default, in `cmd` if this method is not overridden, it repeats and executes the last nonempty command entered. However, no end user we have encountered views this as expected or desirable default behavior. Thus, the default behavior in `cmd2` is to simply go to the next line and issue the prompt again. At this time, `cmd2` completely ignores empty lines and the base class `cmd.emptyline()` method never gets called and thus the `emptyline()` behavior cannot be overridden.

1.3 Features requiring no modifications

These features are provided “for free” to a `cmd`-based application simply by replacing `import cmd` with `import cmd2 as cmd`.

1.3.1 Script files

Text files can serve as scripts for your `cmd2`-based application, with the `load`, `_relative_load`, `edit` and `history` commands.

Both ASCII and UTF-8 encoded unicode text files are supported.

Simply include one command per line, typed exactly as you would inside a `cmd2` application.

1.3.2 Comments

Comments are omitted from the argument list before it is passed to a `do_` method. By default, both Python-style and C-style comments are recognized; you may change this by overriding `app.commentGrammars` with a different `pyparsing` grammar (see the `arg_print` example for specifically how to do this).

Comments can be useful in *Script files*, but would be pointless within an interactive session.

```
def do_speak(self, arg):
    self.stdout.write(arg + '\n')
```

```
(Cmd) speak it was /* not */ delicious! # Yuck!
it was delicious!
```

1.3.3 Commands at invocation

You can send commands to your app as you invoke it by including them as extra arguments to the program. `cmd2` interprets each argument as a separate command, so you should enclose each command in quotation marks if it is more than a one-word command.

```
cat@eee:~/proj/cmd2/example$ python example.py "say hello" "say Gracie" quit
hello
```

```
Gracie
cat@eee:~/proj/cmd2/example$
```

Note: If you wish to disable cmd2's consumption of command-line arguments, you can do so by setting the `allow_cli_args` attribute of your `cmd2.Cmd` class instance to `False`. This would be useful, for example, if you wish to use something like [Argparse](#) to parse the overall command line arguments for your application:

```
from cmd2 import Cmd
class App(Cmd):
    def __init__(self):
        self.allow_cli_args = False
```

1.3.4 Output redirection

As in a Unix shell, output of a command can be redirected:

- sent to a file with `>`, as in `mycommand args > filename.txt`
- piped (`|`) as input to operating-system commands, as in `mycommand args | wc`
- sent to the paste buffer, ready for the next Copy operation, by ending with a bare `>`, as in `mycommand args >..`. Redirecting to paste buffer requires software to be installed on the operating system, [pywin32](#) on Windows or [xclip](#) on *nix.

If your application depends on mathematical syntax, `>` may be a bad choice for redirecting output - it will prevent you from using the greater-than sign in your actual user commands. You can override your app's value of `self.redirector` to use a different string for output redirection:

```
class MyApp(cmd2.Cmd):
    redirector = '->'
```

```
(Cmd) say line1 -> out.txt
(Cmd) say line2 ->-> out.txt
(Cmd) !cat out.txt
line1
line2
```

Note: If you wish to disable cmd2's output redirection and pipes features, you can do so by setting the `allow_redirection` attribute of your `cmd2.Cmd` class instance to `False`. This would be useful, for example, if you want to restrict the ability for an end user to write to disk or interact with shell commands for security reasons:

```
from cmd2 import Cmd
class App(Cmd):
    def __init__(self):
        self.allow_redirection = False
```

cmd2's parser will still treat the `>`, `>>`, and `|` symbols as output redirection and pipe symbols and will strip arguments after them from the command line arguments accordingly. But output from a command will not be redirected to a file or piped to a shell command.

1.3.5 Python

The `py` command will run its arguments as a Python command. Entered without arguments, it enters an interactive Python session. That session can call “back” to your application with `cmd("")`. Through `self`, it also has access to your application instance itself which can be extremely useful for debugging. (If giving end-users this level of introspection is inappropriate, the `locals_in_py` parameter can be set to `False` and removed from the settable dictionary. See see [Other user-settable parameters](#))

```
(Cmd) py print("-".join("spelling"))
s-p-e-l-l-i-n-g
(Cmd) py
Python 2.6.4 (r264:75706, Dec 7 2009, 18:45:15)
[GCC 4.4.1] on linux2
Type "help", "copyright", "credits" or "license" for more information.
(CmdLineApp)

py <command>: Executes a Python command.
py: Enters interactive Python mode.
End with `Ctrl-D` (Unix) / `Ctrl-Z` (Windows), `quit()`, `exit()`.
Non-python commands can be issued with `cmd("your command")`.

>>> import os
>>> os.uname()
('Linux', 'eee', '2.6.31-19-generic', '#56-Ubuntu SMP Thu Jan 28 01:26:53 UTC 2010',
↪ 'i686')
>>> cmd("say --piglatin {os}".format(os=os.uname()[0]))
inuxLay
>>> self.prompt
'(Cmd) '
>>> self.prompt = 'Python was here > '
>>> quit()
Python was here >
```

Using the `py` command is tightly integrated with your main `cmd2` application and any variables created or changed will persist for the life of the application:

```
(Cmd) py x = 5
(Cmd) py print(x)
5
```

The `py` command also allows you to run Python scripts via `py run('myscript.py')`. This provides a more complicated and more powerful scripting capability than that provided by the simple text file scripts discussed in [Script files](#). Python scripts can include conditional control flow logic. See the **`python_scripting.py`** `cmd2` application and the **`script_conditional.py`** script in the `examples` source code directory for an example of how to achieve this in your own applications.

Using `py` to run scripts directly is considered deprecated. The newer `pyscript` command is superior for doing this in two primary ways:

- it supports tab-completion of file system paths
- it has the ability to pass command-line arguments to the scripts invoked

There are no disadvantages to using `pyscript` as opposed to `py run()`. A simple example of using `pyscript` is shown below along with the **`examples/arg_printer.py`** script:

```
(Cmd) pyscript examples/arg_printer.py foo bar baz
Running Python script 'arg_printer.py' which was called with 3 arguments
arg 1: 'foo'
```

```
arg 2: 'bar'
arg 3: 'baz'
```

Note: If you want to be able to pass arguments with spaces to scripts, then we strongly recommend setting the cmd2 global variable `USE_ARG_LIST` to `True` in your application using the `set_use_arg_list` function. This passes all arguments to `@options` commands as a list of strings instead of a single string.

Once this option is set, you can then put arguments in quotes like so:

```
(Cmd) pyscript examples/arg_printer.py hello '23 fnord'
Running Python script 'arg_printer.py' which was called with 2 arguments
arg 1: 'hello'
arg 2: '23 fnord'
```

1.3.6 IPython (optional)

If `IPython` is installed on the system and the `cmd2.Cmd` class is instantiated with `use_ipython=True`, then the optional `ipy` command will be present:

```
from cmd2 import Cmd
class App(Cmd):
    def __init__(self):
        Cmd.__init__(self, use_ipython=True)
```

The `ipy` command enters an interactive `IPython` session. Similar to an interactive Python session, this shell can access your application instance via `self` and any changes to your application made via `self` will persist. However, any local or global variable created within the `ipy` shell will not persist. Within the `ipy` shell, you cannot call “back” to your application with `cmd("")`, however you can run commands directly like so:

```
self.onecmd_plus_hooks('help')
```

`IPython` provides many advantages, including:

- Comprehensive object introspection
- Get help on objects with `?`
- Extensible tab completion, with support by default for completion of python variables and keywords

The object introspection and tab completion make `IPython` particularly efficient for debugging as well as for interactive experimentation and data analysis.

1.3.7 Searchable command history

All `cmd`-based applications have access to previous commands with the up- and down- cursor keys.

All `cmd`-based applications on systems with the `readline` module also provide `bash-like history list editing`.

`cmd2` makes a third type of history access available with the `history` command:

1.3.8 Quitting the application

`cmd2` pre-defines a `quit` command for you. It’s trivial, but it’s one less thing for you to remember.

1.3.9 Abbreviated commands

cmd2 apps will accept shortened command names so long as there is no ambiguity if the `abbrev` settable parameter is set to `True`. Thus, if `do_divide` is defined, then `divid`, `div`, or even `d` will suffice, so long as there are no other commands defined beginning with *divid*, *div*, or *d*.

This behavior is disabled by default, but can be turned on with `app.abbrev` (see [Other user-settable parameters](#))

Warning: Due to the way the parsing logic works for multiline commands, abbreviations will not be accepted for multiline commands.

1.3.10 Misc. pre-defined commands

Several generically useful commands are defined with automatically included `do_` methods.

(`!` is a shortcut for `shell`; thus `!ls` is equivalent to `shell ls`.)

1.3.11 Transcript-based testing

A transcript is both the input and output of a successful session of a cmd2-based app which is saved to a text file. The transcript can be played back into the app as a unit test.

```
$ python example.py --test transcript_regex.txt
.
-----
Ran 1 test in 0.013s

OK
```

See [Transcript based testing](#) for more details.

1.3.12 Tab-Completion

cmd2 adds tab-completion of file system paths for all built-in commands where it makes sense, including:

- `edit`
- `load`
- `pyscript`
- `shell`

cmd2 also adds tab-completion of shell commands to the `shell` command.

Additionally, it is trivial to add identical file system path completion to your own custom commands. Suppose you have defined a custom command `foo` by implementing the `do_foo` method. To enable path completion for the `foo` command, then add a line of code similar to the following to your class which inherits from `cmd2.Cmd`:

```
# Assuming you have an "import cmd2" somewhere at the top
complete_foo = cmd2.Cmd.path_complete
```

This will effectively define the `complete_foo` readline completer method in your class and make it utilize the same path completion logic as the built-in commands.

The build-in logic allows for a few more advanced path completion capabilities, such as cases where you only want to match directories. Suppose you have a custom command `bar` implemented by the `do_bar` method. You can enable path completion of directories only for this command by adding a line of code similar to the following to your class which inherits from `cmd2.Cmd`:

```
# Make sure you have an "import functools" somewhere at the top
complete_bar = functools.partialmethod(cmd2.Cmd.path_complete, dir_only=True)
```

1.4 Features requiring only parameter changes

Several aspects of a `cmd2` application's behavior can be controlled simply by setting attributes of `App`. A parameter can also be changed at runtime by the user *if* its name is included in the dictionary `app.settable`. (To define your own user-settable parameters, see *Other user-settable parameters*)

1.4.1 Case-insensitivity

By default, all `cmd2` command names are case-insensitive; `sing the blues` and `SiNg the blues` are equivalent. To change this, set `App.case_insensitive` to `False`.

Whether or not you set `case_insensitive`, *please do not* define command method names with any uppercase letters. `cmd2` expects all command methods to be lowercase.

1.4.2 Shortcuts (command aliases)

Command aliases for long command names such as special-character shortcuts for common commands can make life more convenient for your users. Shortcuts are used without a space separating them from their arguments, like `!ls`. By default, the following shortcuts are defined:

```
? help
! shell: run as OS-level command
@ load script file
@@ load script file; filename is relative to current script location
```

To define more shortcuts, update the dict `App.shortcuts` with the `{'shortcut': 'command_name'}` (omit `do_`):

```
class App(Cmd2):
    def __init__(self):
        # Make sure you update the shortcuts attribute before calling the super class __
        ↪__init__
        self.shortcuts.update({'*': 'sneeze', '~': 'squirm'})

        # Make sure to call this super class __init__ after updating shortcuts
        cmd2.Cmd.__init__(self)
```

Warning: Command aliases needed to be created by updating the `shortcuts` dictionary attribute prior to calling the `cmd2.Cmd` super class `__init__()` method. Moreover, that super class `init` method needs to be called after updating the `shortcuts` attribute. This warning applies in general to many other attributes which are not settable at runtime such as `commentGrammars`, `multilineCommands`, etc.

1.4.3 Default to shell

Every cmd2 application can execute operating-system level (shell) commands with `shell` or a `!` shortcut:

```
(Cmd) shell which python
/usr/bin/python
(Cmd) !which python
/usr/bin/python
```

However, if the parameter `default_to_shell` is `True`, then *every* command will be attempted on the operating system. Only if that attempt fails (i.e., produces a nonzero return value) will the application's own default method be called.

```
(Cmd) which python
/usr/bin/python
(Cmd) my dog has fleas
sh: my: not found
*** Unknown syntax: my dog has fleas
```

1.4.4 Timing

Setting `App.timing` to `True` outputs timing data after every application command is executed. The user can set this parameter during application execution. (See *Other user-settable parameters*)

1.4.5 Echo

If `True`, each command the user issues will be repeated to the screen before it is executed. This is particularly useful when running scripts.

1.4.6 Debug

Setting `App.debug` to `True` will produce detailed error stacks whenever the application generates an error. The user can set this parameter during application execution. (See *Other user-settable parameters*)

1.4.7 Other user-settable parameters

A list of all user-settable parameters, with brief comments, is viewable from within a running application with:

```
(Cmd) set --long
abbrev: False           # Accept abbreviated commands
colors: True            # Colorized output (*nix only)
continuation_prompt: >  # On 2nd+ line of input
debug: False           # Show full error stack on error
echo: False            # Echo command issued into output
editor: vim             # Program used by ``edit``
feedback_to_output: False # include nonessentials in `|`, `>` results
locals_in_py: True     # Allow access to your application in py via self
prompt: (Cmd)           # The prompt issued to solicit input
quiet: False           # Don't print nonessential feedback
timing: False          # Report execution times
```

Any of these user-settable parameters can be set while running your app with the `set` command like so:


```
set abbrev True
```

1.5 Features requiring application changes

1.5.1 Multiline commands

Command input may span multiple lines for the commands whose names are listed in the parameter `app.multilineCommands`. These commands will be executed only after the user has entered a *terminator*. By default, the command terminators is `;`; replacing or appending to the list `app.terminators` allows different terminators. A blank line is *always* considered a command terminator (cannot be overridden).

1.5.2 Parsed statements

cmd2 passes `arg` to a `do_` method (or default) as a `ParsedString`, a subclass of string that includes an attribute `parsed`. `parsed` is a `pyparsing.ParseResults` object produced by applying a `pyparsing` grammar applied to `arg`. It may include:

command Name of the command called

raw Full input exactly as typed.

terminator Character used to end a multiline command

suffix Remnant of input after terminator

```
def do_parsereport(self, arg):
    self.stdout.write(arg.parsed.dump() + '\n')
```

```
(Cmd) parsereport A B /* C */ D; E
['parsereport', 'A B D', ';', 'E']
- args: A B D
- command: parsereport
- raw: parsereport A B /* C */ D; E
- statement: ['parsereport', 'A B D', ';']
  - args: A B D
  - command: parsereport
  - terminator: ;
- suffix: E
- terminator: ;
```

If `parsed` does not contain an attribute, querying for it will return `None`. (This is a characteristic of `pyparsing.ParseResults`.)

The parsing grammar and process currently employed by cmd2 is stable, but is likely significantly more complex than it needs to be. Future cmd2 releases may change it somewhat (hopefully reducing complexity).

(Getting `arg` as a `ParsedString` is technically “free”, in that it requires no application changes from the `cmd` standard, but there will be no result unless you change your application to *use* `arg.parsed`.)

1.5.3 Environment parameters

Your application can define user-settable parameters which your code can reference. First create a class attribute with the default value. Then update the `settable` dictionary with your setting name and a short description before you initialize the superclass. Here’s an example, from `examples/environment.py`:

```
#!/usr/bin/env python
# coding=utf-8
"""
A sample application for cmd2 demonstrating customized environment parameters
"""

from cmd2 import Cmd

class EnvironmentApp(Cmd):
    """ Example cmd2 application. """

    degrees_c = 22
    sunny = False

    def __init__(self):
        self.settable.update({'degrees_c': 'Temperature in Celsius'})
        self.settable.update({'sunny': 'Is it sunny outside?'})
        Cmd.__init__(self)

    def do_sunbathe(self, arg):
        if self.degrees_c < 20:
            result = "It's {} C - are you a penguin?".format(self.degrees_c)
        elif not self.sunny:
            result = 'Too dim.'
        else:
            result = 'UV is bad for your skin.'
        self.poutput(result)

    def _onchange_degrees_c(self, old, new):
        # if it's over 40C, it's gotta be sunny, right?
        if new > 40:
            self.sunny = True

if __name__ == '__main__':
    c = EnvironmentApp()
    c.cmdloop()
```

If you want to be notified when a setting changes (as we do above), then define a method `_onchange_{setting}()`. This method will be called after the user changes a setting, and will receive both the old value and the new value.

```
(Cmd) set --long | grep sunny
sunny: False                # Is it sunny outside?
(Cmd) set --long | grep degrees
degrees_c: 22               # Temperature in Celsius
(Cmd) sunbathe
Too dim.
(Cmd) set degrees_c 41
degrees_c - was: 22
now: 41
(Cmd) set sunny
sunny: True
(Cmd) sunbathe
UV is bad for your skin.
(Cmd) set degrees_c 13
degrees_c - was: 41
```

```
now: 13
(Cmd) sunbathe
It's 13 C - are you a penguin?
```

1.5.4 Commands with flags

All `do_` methods are responsible for interpreting the arguments passed to them. However, `cmd2` lets a `do_` methods accept Unix-style *flags*. It uses `argparse` to parse the flags, and they work the same way as for that module.

`cmd2` defines a few decorators which change the behavior of how arguments get parsed for and passed to a `do_` method. See the section *Argument Processing* for more information.

Controlling how arguments are parsed for commands with flags

There are a couple functions which can globally effect how arguments are parsed for commands with flags:

1.5.5 poutput, pfeedback, perror

Standard `cmd` applications produce their output with `self.stdout.write('output')` (or with `print`, but `print` decreases output flexibility). `cmd2` applications can use `self.poutput('output')`, `self.pfeedback('message')`, and `self.perror('errmsg')` instead. These methods have these advantages:

- **More concise**
 - `.pfeedback()` destination is controlled by *quiet* parameter.

1.5.6 color

Text output can be colored by wrapping it in the `colorize` method.

1.5.7 quiet

Controls whether `self.pfeedback('message')` output is suppressed; useful for non-essential feedback that the user may not always want to read. `quiet` is only relevant if `app.pfeedback` is sometimes used.

1.5.8 select

Presents numbered options to user, as `bash select`.

`app.select` is called from within a method (not by the user directly; it is `app.select`, not `app.do_select`).

```
def do_eat(self, arg):
    sauce = self.select('sweet salty', 'Sauce? ')
    result = '{food} with {sauce} sauce, yum!'
    result = result.format(food=arg, sauce=sauce)
    self.stdout.write(result + '\n')
```

```
(Cmd) eat wheaties
      1. sweet
      2. salty
Sauce? 2
wheaties with salty sauce, yum!
```

1.6 Transcript based testing

A transcript is both the input and output of a successful session of a cmd2-based app which is saved to a text file. With no extra work on your part, your app can play back these transcripts as a unit test. Transcripts can contain regular expressions, which provide the flexibility to match responses from commands that produce dynamic or variable output.

1.6.1 Creating a transcript

Automatically

A transcript can automatically generated based upon commands previously executed in the *history*:

```
(Cmd) help
...
(Cmd) help history
...
(Cmd) history 1:2 -t transcript.txt
2 commands and outputs saved to transcript file 'transcript.txt'
```

This is by far the easiest way to generate a transcript.

Manually

Here's a transcript created from python `examples/example.py`:

```
(Cmd) say -r 3 Goodnight, Gracie
Goodnight, Gracie
Goodnight, Gracie
Goodnight, Gracie
(Cmd) mumble maybe we could go to lunch
like maybe we ... could go to hmmm lunch
(Cmd) mumble maybe we could go to lunch
well maybe we could like go to er lunch right?
```

This transcript has three commands: they are on the lines that begin with the prompt. The first command looks like this:

```
(Cmd) say -r 3 Goodnight, Gracie
```

Following each command is the output generated by that command.

The transcript ignores all lines in the file until it reaches the first line that begins with the prompt. You can take advantage of this by using the first lines of the transcript as comments:

```
# Lines at the beginning of the transcript that do not
; start with the prompt i.e. '(Cmd) ' are ignored.
/* You can use them for comments. */

All six of these lines before the first prompt are treated as comments.

(Cmd) say -r 3 Goodnight, Gracie
Goodnight, Gracie
Goodnight, Gracie
Goodnight, Gracie
(Cmd) mumble maybe we could go to lunch
like maybe we ... could go to hmmm lunch
(Cmd) mumble maybe we could go to lunch
maybe we could like go to er lunch right?
```

In this example I've used several different commenting styles, and even bare text. It doesn't matter what you put on those beginning lines. Everything before:

```
(Cmd) say -r 3 Goodnight, Gracie
```

will be ignored.

1.6.2 Regular Expressions

If we used the above transcript as-is, it would likely fail. As you can see, the `mumble` command doesn't always return the same thing: it inserts random words into the input.

Regular expressions can be included in the response portion of a transcript, and are surrounded by slashes:

```
(Cmd) mumble maybe we could go to lunch
/*\bmaybe\b.*\bcould\b.*\blunch\b.*/
(Cmd) mumble maybe we could go to lunch
/*\bmaybe\b.*\bcould\b.*\blunch\b.*/
```

Without creating a tutorial on regular expressions, this one matches anything that has the words `maybe`, `could`, and `lunch` in that order. It doesn't ensure that `we` or `go` or `to` appear in the output, but it does work if `mumble` happens to add words to the beginning or the end of the output.

Since the output could be multiple lines long, `cmd2` uses multiline regular expression matching, and also uses the `DOTALL` flag. These two flags subtly change the behavior of commonly used special characters like `.`, `^` and `$`, so you may want to double check the [Python regular expression documentation](#).

If your output has slashes in it, you will need to escape those slashes so the stuff between them is not interpreted as a regular expression. In this transcript:

```
(Cmd) say cd /usr/local/lib/python3.6/site-packages
/usr/local/lib/python3.6/site-packages
```

the output contains slashes. The text between the first slash and the second slash, will be interpreted as a regular expression, and those two slashes will not be included in the comparison. When replayed, this transcript would therefore fail. To fix it, we could either write a regular expression to match the path instead of specifying it verbatim, or we can escape the slashes:

```
(Cmd) say cd /usr/local/lib/python3.6/site-packages
\\usr\\local\\lib\\python3.6\\site-packages
```

Warning: Be aware of trailing spaces and newlines. Your commands might output trailing spaces which are impossible to see. Instead of leaving them invisible, you can add a regular expression to match them, so that you can see where they are when you look at the transcript:

```
(Cmd) set prompt
prompt: (Cmd) / /
```

Some terminal emulators strip trailing space when you copy text from them. This could make the actual data generated by your app different than the text you pasted into the transcript, and it might not be readily obvious why the transcript is not passing. Consider using [Output redirection](#) to the clipboard or to a file to ensure you accurately capture the output of your command.

If you aren't using regular expressions, make sure the newlines at the end of your transcript exactly match the output of your commands. A common cause of a failing transcript is an extra or missing newline.

If you are using regular expressions, be aware that depending on how you write your regex, the newlines after the regex may or may not matter. `\Z` matches *after* the newline at the end of the string, whereas `$` matches the end of the string *or* just before a newline.

1.6.3 Running a transcript

Once you have created a transcript, it's easy to have your application play it back and check the output. From within the `examples/` directory:

```
$ python example.py --test transcript_regex.txt
.
-----
Ran 1 test in 0.013s

OK
```

The output will look familiar if you use `unittest`, because that's exactly what happens. Each command in the transcript is run, and we `assert` the output matches the expected result from the transcript.

Note: If you have set `allow_cli_args` to `False` in order to disable parsing of command line arguments at invocation, then the use of `-t` or `--test` to run transcript testing is automatically disabled. In this case, you can alternatively provide a value for the optional `transcript_files` when constructing the instance of your `cmd2.Cmd` derived class in order to cause a transcript test to run:

```
from cmd2 import Cmd
class App(Cmd):
    # customized attributes and methods here

if __name__ == '__main__':
    app = App(transcript_files=['exampleSession.txt'])
    app.cmdloop()
```

1.7 Argument Processing

`cmd2` makes it easy to add sophisticated argument processing to your commands using the `argparse` python module. `cmd2` handles the following for you:

1. Parsing input and quoted strings like the Unix shell
2. Parse the resulting argument list using an instance of `argparse.ArgumentParser` that you provide
3. Passes the resulting `argparse.Namespace` object to your command function
4. Adds the usage message from the argument parser to your command.
5. Checks if the `-h/--help` option is present, and if so, display the help message for the command

These features are all provided by the `@with_argparser` decorator.

1.7.1 Using the argument parser decorator

For each command in the `cmd2` subclass which requires argument parsing, create an instance of `argparse.ArgumentParser` which can parse the input appropriately for the command. Then decorate the command method with the `@with_argparser` decorator, passing the argument parser as the first parameter to the decorator. This changes the second argument to the command method, which will contain the results of `ArgumentParser.parse_args()`.

Here's what it looks like:

```
argparser = argparse.ArgumentParser()
argparser.add_argument('-p', '--piglatin', action='store_true', help='atinLay')
argparser.add_argument('-s', '--shout', action='store_true', help='N00B EMULATION MODE')
argparser.add_argument('-r', '--repeat', type=int, help='output [n] times')
argparser.add_argument('word', nargs='?', help='word to say')

@with_argparser(argparser)
def do_speak(self, opts):
    """Repeats what you tell me to."""
    arg = opts.word
    if opts.piglatin:
        arg = '%s%say' % (arg[1:], arg[0])
    if opts.shout:
        arg = arg.upper()
    repetitions = opts.repeat or 1
    for i in range(min(repetitions, self.maxrepeats)):
        self.poutput(arg)
```

Note: The `@with_argparser` decorator sets the `prog` variable in the argument parser based on the name of the method it is decorating. This will override anything you specify in `prog` variable when creating the argument parser.

1.7.2 Help Messages

By default, `cmd2` uses the docstring of the command method when a user asks for help on the command. When you use the `@with_argparser` decorator, the docstring for the `do_*` method is used to set the description for the `argparse.ArgumentParser` is With this code:

```
argparser = argparse.ArgumentParser()
argparser.add_argument('tag', help='tag')
argparser.add_argument('content', nargs='+', help='content to surround with tag')
@with_argparser(argparser)
def do_tag(self, args):
```

```
"""create a html tag"""
self.stdout.write('<{0}>{1}</{0}>'.format(args.tag, ' '.join(args.content)))
self.stdout.write('\n')
```

The help tag command displays:

```
usage: tag [-h] tag content [content ...]

create a html tag

positional arguments:
  tag          tag
  content      content to surround with tag

optional arguments:
  -h, --help  show this help message and exit
```

If you would prefer you can set the description while instantiating the `argparse.ArgumentParser` and leave the docstring on your method empty:

```
argparser = argparse.ArgumentParser(description='create an html tag')
argparser.add_argument('tag', help='tag')
argparser.add_argument('content', nargs='+', help='content to surround with tag')
@with_argparser(argparser)
def do_tag(self, args):
    self.stdout.write('<{0}>{1}</{0}>'.format(args.tag, ' '.join(args.content)))
    self.stdout.write('\n')
```

Now when the user enters `help tag` they see:

```
usage: tag [-h] tag content [content ...]

create an html tag

positional arguments:
  tag          tag
  content      content to surround with tag

optional arguments:
  -h, --help  show this help message and exit
```

To add additional text to the end of the generated help message, use the `epilog` variable:

```
argparser = argparse.ArgumentParser(
    description='create an html tag',
    epilog='This command can not generate tags with no content, like <br/>.'
)
argparser.add_argument('tag', help='tag')
argparser.add_argument('content', nargs='+', help='content to surround with tag')
@with_argparser(argparser)
def do_tag(self, args):
    self.stdout.write('<{0}>{1}</{0}>'.format(args.tag, ' '.join(args.content)))
    self.stdout.write('\n')
```

Which yields:

```
usage: tag [-h] tag content [content ...]
```



```

create an html tag

positional arguments:
  tag          tag
  content      content to surround with tag

optional arguments:
  -h, --help  show this help message and exit

This command can not generate tags with no content, like <br/>

```

1.7.3 Receiving an argument list

The default behavior of cmd2 is to pass the user input directly to your `do_*` methods as a string. If you don't want to use the full argument parser support outlined above, you can still have cmd2 apply shell parsing rules to the user input and pass you a list of arguments instead of a string. Apply the `@with_argument_list` decorator to those methods that should receive an argument list instead of a string:

```

class CmdLineApp(cmd2.Cmd):
    """ Example cmd2 application. """

    def do_say(self, cmdline):
        # cmdline contains a string
        pass

    @with_argument_list
    def do_speak(self, arglist):
        # arglist contains a list of arguments
        pass

```

1.7.4 Using the argument parser decorator and also receiving a a list of unknown positional arguments

If you want all unknown arguments to be passed to your command as a list of strings, then decorate the command method with the `@with_argparser_and_unknown_args` decorator.

Here's what it looks like:

```

dir_parser = argparse.ArgumentParser()
dir_parser.add_argument('-l', '--long', action='store_true', help="display in long_
↳format with one item per line")

@with_argparser_and_unknown_args(dir_parser)
def do_dir(self, args, unknown):
    """List contents of current directory."""
    # No arguments for this command
    if unknown:
        self.perror("dir does not take any positional arguments:", traceback_
↳war=False)
        self.do_help('dir')
        self._last_result = CmdResult('', 'Bad arguments')
        return

    # Get the contents as a list

```

```
contents = os.listdir(self.cwd)

...
```

1.7.5 Sub-commands

Sub-commands are supported for commands using either the `@with_argparser` or `@with_argparser_and_unknown_args` decorator. The syntax for supporting them is based on argparse sub-parsers.

See the [subcommands](#) example to learn more about how to use sub-commands in your cmd2 application.

1.7.6 Deprecated optparse support

The `optparse` library has been deprecated since Python 2.7 (released on July 3rd 2010) and Python 3.2 (released on February 20th, 2011). `optparse` is still included in the python standard library, but the documentation recommends using `argparse` instead.

cmd2 includes a decorator which can parse arguments using `optparse`. This decorator is deprecated just like the `optparse` library.

Here's an example:

```
opts = [make_option('-p', '--piglatin', action="store_true", help="atinLay"),
        make_option('-s', '--shout', action="store_true", help="N00B EMULATION MODE"),
        make_option('-r', '--repeat', type="int", help="output [n] times")]

@options(opts, arg_desc='(text to say)')
def do_speak(self, arg, opts=None):
    """Repeats what you tell me to."""
    arg = ' '.join(arg)
    if opts.piglatin:
        arg = '%s%say' % (arg[1:], arg[0])
    if opts.shout:
        arg = arg.upper()
    repetitions = opts.repeat or 1
    for i in range(min(repetitions, self.maxrepeats)):
        self.poutput(arg)
```

The `optparse` decorator performs the following key functions for you:

1. Use *shlex* to split the arguments entered by the user.
2. Parse the arguments using the given `optparse` options.
3. Replace the `__doc__` string of the decorated function (i.e. `do_speak`) with the help string generated by `optparse`.
4. Call the decorated function (i.e. `do_speak`) passing an additional parameter which contains the parsed options.

1.8 Integrating cmd2 with external tools

Throughout this documentation we have focused on the **90%** use case, that is the use case we believe around 90+% of our user base is looking for. This focuses on ease of use and the best out-of-the-box experience where developers get the most functionality for the least amount of effort. We are talking about running cmd2 applications with the `cmdloop()` method:

```

from cmd2 import Cmd
class App(Cmd):
    # customized attributes and methods here
app = App()
app.cmdloop()

```

However, there are some limitations to this way of using cmd2, mainly that cmd2 owns the inner loop of a program. This can be unnecessarily restrictive and can prevent using libraries which depend on controlling their own event loop.

1.8.1 Integrating cmd2 with event loops

Many Python concurrency libraries involve or require an event loop which they are in control of such as `asyncio`, `gevent`, `Twisted`, etc.

cmd2 applications can be executed in a fashion where cmd2 doesn't own the main loop for the program by using code like the following:

```

import cmd2

class Cmd2EventBased(cmd2.Cmd):
    def __init__(self):
        cmd2.Cmd.__init__(self)

    # ... your class code here ...

if __name__ == '__main__':
    app = Cmd2EventBased()
    app.preloop()

    # Do this within whatever event loop mechanism you wish to run a single command
    cmd_line_text = "help history"
    app.runcmds_plus_hooks([cmd_line_text])

    app.postloop()

```

The `runcmds_plus_hooks()` method is a convenience method to run multiple commands via `onecmd_plus_hooks()`. It properly deals with `load` commands which under the hood put commands in a FIFO queue as it reads them in from a script file.

The `onecmd_plus_hooks()` method will do the following to execute a single cmd2 command in a normal fashion:

1. Parse the command line text
2. Execute `postparsing_precmd()`
3. Add the command to the history
4. Apply output redirection, if present
5. Execute `precmd()`
6. Execute `onecmd()` - this is what actually runs the command
7. Execute `postcmd()`
8. Undo output redirection (if present) and perform piping, if present
9. Execute `postparsing_postcmd()`

Running in this fashion enables the ability to integrate with an external event loop. However, how to integrate with any specific event loop is beyond the scope of this documentation. Please note that running in this fashion comes with several disadvantages, including:

- Requires the developer to write more code
- Does not support transcript testing
- Does not allow commands at invocation via command-line arguments

Here is a little more info on `runcmds_plus_hooks`:

1.9 cmd2 Application Lifecycle and Hooks

The typical way of starting a cmd2 application is as follows:

```
from cmd2 import Cmd
class App (Cmd) :
    # customized attributes and methods here
app = App()
app.cmdloop()
```

There are several pre-existing methods and attributes which you can tweak to control the overall behavior of your application before, during, and after the main loop.

1.9.1 Application Lifecycle Hook Methods

The `preloop` and `postloop` methods run before and after the main loop, respectively.

1.9.2 Application Lifecycle Attributes

There are numerous attributes (member variables of the `cmd2.Cmd`) which have a significant effect on the application behavior upon entering or during the main loop. A partial list of some of the more important ones is presented here:

- **intro:** *str* - if provided this serves as the intro banner printed once at start of application, after `preloop` runs
- **allow_cli_args:** *bool* - if **True (default)**, then searches for **-t** or **-test** at command line to invoke transcript testing mode instantly and also processes any commands provided as arguments on the command line just prior to entering the main loop
- **echo:** *bool* - if **True**, then the command line entered is echoed to the screen (most useful when running scripts)
- **prompt:** *str* - sets the prompt which is displayed, can be dynamically changed based on application state and/or command results

1.9.3 Command Processing Hooks

Inside the main loop, every time the user hits <Enter> the line is processed by the `onecmd_plus_hooks` method.

As the `onecmd_plus_hooks` name implies, there are a number of *hook* methods that can be defined in order to inject application-specific behavior at various points during the processing of a line of text entered by the user. `cmd2` increases the 2 hooks provided by `cmd` (**`precmd`** and **`postcmd`**) to 6 for greater flexibility. Here are the various hook methods, presented in chronological order starting with the ones called earliest in the process.

1.10 Alternatives to cmd and cmd2

For programs that do not interact with the user in a continuous loop - programs that simply accept a set of arguments from the command line, return results, and do not keep the user within the program's environment - all you need are `sys.argv` (the command-line arguments) and `argparse` (for parsing UNIX-style options and flags). Though some people may prefer `docopt` or `click` to `argparse`.

The `curses` module produces applications that interact via a plaintext terminal window, but are not limited to simple text input and output; they can paint the screen with options that are selected from using the cursor keys. However, programming a `curses`-based application is not as straightforward as using `cmd`.

Several Python packages exist for building interactive command-line applications approximately similar in concept to `cmd` applications. None of them share `cmd2`'s close ties to `cmd`, but they may be worth investigating nonetheless. Two of the most mature and full featured are:

- [Python Prompt Toolkit](#)
- [Click](#)

[Python Prompt Toolkit](#) is a library for building powerful interactive command lines and terminal applications in Python. It provides a lot of advanced visual features like syntax highlighting, bottom bars, and the ability to create fullscreen apps.

[Click](#) is a Python package for creating beautiful command line interfaces in a composable way with as little code as necessary. It is more geared towards command line utilities instead of command line interpreters, but it can be used for either.

Getting a working command-interpreter application based on either [Python Prompt Toolkit](#) or [Click](#) requires a good deal more effort and boilerplate code than `cmd2`. `cmd2` focuses on providing an excellent out-of-the-box experience with as many useful features as possible built in for free with as little work required on the developer's part as possible. We believe that `cmd2` provides developers the easiest way to write a command-line interpreter, while allowing a good experience for end users. If you are seeking a visually richer end-user experience and don't mind investing more development time, we would recommend checking out [Python Prompt Toolkit](#).

In the future, we may investigate options for incorporating the usage of [Python Prompt Toolkit](#) and/or [Click](#) into `cmd2` applications.

CHAPTER 2

Compatibility

Tested and working with Python 2.7 and 3.4+.

CHAPTER 3

Indices and tables

- `genindex`
- `modindex`
- `search`